

DOUBLE HUNG WINDOWS (widths 20" to 48")

| Rough Opening | 20" | 22" | 24" | 26" | 28" | 30" | 32" | 34" | 36" | 38" | 40" | 42" | 44" | 46" | 48" |
|---------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| Unit Size | 19 1/2" | 21 1/2" | 23 1/2" | 25 1/2" | 27 1/2" | 29 1/2" | 31 1/2" | 33 1/2" | 35 1/2" | 37 1/2" | 39 1/2" | 41 1/2" | 43 1/2" | 45 1/2" | 47 1/2" |
| Exposed Glass | 12 1/2" | 14 1/2" | 16 1/2" | 18 1/2" | 20 1/2" | 22 1/2" | 24 1/2" | 26 1/2" | 28 1/2" | 30 1/2" | 32 1/2" | 34 1/2" | 36 1/2" | 38 1/2" | 40 1/2" |
| Clear Opening | 14 5/8" | 16 5/8" | 18 5/8" | 20 5/8" | 22 5/8" | 24 5/8" | 26 5/8" | 28 5/8" | 30 5/8" | 32 5/8" | 34 5/8" | 36 5/8" | 38 5/8" | 40 5/8" | 42 5/8" |

| | | | | | | | | | | | | | | | |
|------|------|------|------|------|------|------|------|-------|-------|-------|-------|-------|-------|-------|-----|
| 2036 | 2236 | 2436 | 2636 | 2836 | 3036 | 3236 | 3436 | 3636 | 3836 | 4036 | 4236 | 4436 | 4636 | 4836 | 36" |
| 2042 | 2242 | 2442 | 2642 | 2842 | 3042 | 3242 | 3442 | 3642 | 3842 | 4042 | 4242 | 4442 | 4642 | 4842 | 42" |
| 2048 | 2248 | 2448 | 2648 | 2848 | 3048 | 3248 | 3448 | 3648 | 3848 | 4048 | 4248 | 4448 | 4648 | 4848 | 48" |
| 2054 | 2254 | 2454 | 2654 | 2854 | 3054 | 3254 | 3454 | 3654 | 3854 | 4054 | 4254 | 4454 | 4654 | 4854 | 54" |
| 2057 | 2257 | 2457 | 2657 | 2857 | 3057 | 3257 | 3457 | 3657 | 3857 | 4057 | 4257 | 4457 | 4657 | 4857 | 57" |
| 2060 | 2260 | 2460 | 2660 | 2860 | 3060 | 3260 | 3460 | 3660 | 3860 | 4060† | 4260† | 4460† | 4660† | 4860† | 60" |
| 2066 | 2266 | 2466 | 2666 | 2866 | 3066 | 3266 | 3466 | 3666† | 3866† | 4066† | 4266† | 4466† | 4666† | 4866† | 66" |
| 2072 | 2272 | 2472 | 2672 | 2872 | 3072 | 3272 | 3472 | 3672† | 3872† | 4072† | 4272† | 4472† | 4672† | 4872† | 72" |

Call out sizes are calculated in inches. † Meets egress of: Clear openable area 5.7 sq. ft. Clear openable width 20". Clear openable height ≥24"

quality • performance • security • selection

SINGLE HUNG WINDOWS (widths 20" to 48")































| Rough Opening | 20" | 22" | 24" | 26" | 28" | 30" | 32" | 34" | 36" | 38" | 40" | 42" | 44" | 46" | 48" |
|------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| Unit Size | 19 1/2" | 21 1/2" | 23 1/2" | 25 1/2" | 27 1/2" | 29 1/2" | 31 1/2" | 33 1/2" | 35 1/2" | 37 1/2" | 39 1/2" | 41 1/2" | 43 1/2" | 45 1/2" | 47 1/2" |
| Exp. Glass Fixed Light | 14 1/2" | 16 1/2" | 18 1/2" | 20 1/2" | 22 1/2" | 24 1/2" | 26 1/2" | 28 1/2" | 30 1/2" | 32 1/2" | 34 1/2" | 36 1/2" | 38 1/2" | 40 1/2" | 42 1/2" |
| Exposed Glass Sash | 14 13/16" | 16 13/16" | 18 13/16" | 20 13/16" | 22 13/16" | 24 13/16" | 26 13/16" | 28 13/16" | 30 13/16" | 32 13/16" | 34 13/16" | 36 13/16" | 38 13/16" | 40 13/16" | 42 13/16" |
| Clear Opening | 14 1/2" | 16 1/2" | 18 1/2" | 20 1/2" | 22 1/2" | 24 1/2" | 26 1/2" | 28 1/2" | 30 1/2" | 32 1/2" | 34 1/2" | 36 1/2" | 38 1/2" | 40 1/2" | 42 1/2" |











































| | | | | | | | | | | | | | | | |
|------|------|------|------|------|------|------|-------|-------|-------|-------|-------|-------|-------|-------|---------|
| | | | | | | | | | | | | | | | 36" |
| 2036 | 2236 | 2436 | 2636 | 2836 | 3036 | 3236 | 3436 | 3636 | 3836 | 4036 | 4236 | 4436 | 4636 | 4836 | 35 1/2" |
| | | | | | | | | | | | | | | | 42" |
| 2042 | 2242 | 2442 | 2642 | 2842 | 3042 | 3242 | 3442 | 3642 | 3842 | 4042 | 4242 | 4442 | 4642 | 4842 | 41 1/2" |
| | | | | | | | | | | | | | | | 48" |
| 2048 | 2248 | 2448 | 2648 | 2848 | 3048 | 3248 | 3448 | 3648 | 3848 | 4048 | 4248 | 4448 | 4648 | 4848 | 47 1/2" |
| | | | | | | | | | | | | | | | 54" |
| 2054 | 2254 | 2454 | 2654 | 2854 | 3054 | 3254 | 3454 | 3654 | 3854 | 4054 | 4254 | 4454 | 4654 | 4854 | 53 1/2" |
| | | | | | | | | | | | | | | | 57" |
| 2057 | 2257 | 2457 | 2657 | 2857 | 3057 | 3257 | 3457 | 3657 | 3857 | 4057 | 4257 | 4457 | 4657 | 4857 | 56 1/2" |
| | | | | | | | | | | | | | | | 60" |
| 2060 | 2260 | 2460 | 2660 | 2860 | 3060 | 3260 | 3460 | 3660 | 3860 | 4060† | 4260† | 4460† | 4660† | 4860† | 59 1/2" |
| | | | | | | | | | | | | | | | 66" |
| 2066 | 2266 | 2466 | 2666 | 2866 | 3066 | 3266 | 3466 | 3666† | 3866† | 4066† | 4266† | 4466† | 4666† | 4866† | 65 1/2" |
| | | | | | | | | | | | | | | | 72" |
| 2072 | 2272 | 2472 | 2672 | 2872 | 3072 | 3272 | 3472† | 3672† | 3872† | 4072† | 4272† | 4472† | 4672† | 4872† | 71 1/2" |

Call out sizes are calculated in inches. † Meets egress of: Clear openable area 5.7 sq. ft. Clear openable width 20". Clear openable height ≥24"

quality • performance • security • selection












































CASEMENT WINDOWS (pg. 1/2)

| Rough Opening* | 54" | 60" | 72" | 84" | 90" | 108" |
|----------------|---|---|---|---|--|---|
| Unit Size | 53 1/2" | 59 1/2" | 71 1/2" | 83 1/2" | 89 1/2" | 107 1/2" |
| Exposed Glass | 13 1/2" | 15 1/2" | 19 1/2" | 23 1/2" | 25 1/2" | 31 1/2" |
| Clear Opening | 10 1/2" | 12 1/2" | 16 1/2" | 20 1/2" | 22 1/2" | 28 1/2" |
| |  |  |  |  |  |  |
| | CFC5436 | CFC6036 | CFC7236 | CFC8436 | CFC9036 | CFC10836 |
| |  |  |  |  |  |  |
| | CFC5442 | CFC6042 | CFC7242 | CFC8442 | CFC9042 | CFC10842 |
| |  |  |  |  |  |  |
| | CFC5448 | CFC6048 | CFC7248 | CFC8448 | CFC9048†† | CFC10848† |
| |  |  |  |  |  |  |
| | CFC5460 | CFC6060 | CFC7260 | CFC8460 | CFC9060†† | CFC10860† |
| |  |  |  |  |  |  |
| | CFC5466 | CFC6066 | CFC7266 | CFC8466 | CFC9066†† | CFC10866† |

| Rough Opening* | 36" | 40" | 48" | 56" | 60" | 72" |
|--------------------|---|---|---|---|---|---|
| Unit Size | 35 1/2" | 39 1/2" | 47 1/2" | 55 1/2" | 59 1/2" | 71 1/2" |
| Exposed Glass Sash | 13 1/4" | 15 1/4" | 19 1/4" | 23 1/4" | 25 1/4" | 31 1/4" |
| Clear Opening | 10 1/2" | 12 1/2" | 16 1/2" | 20 1/2" | 22 1/2" | 28 1/2" |
| |  |  |  |  |  |  |
| | TC3624 | TC4024 | TC4824 | TC5624 | TC6024 | TC7224 |
| |  |  |  |  |  |  |
| | TC3636 | TC4036 | TC4836 | TC5636 | TC6036 | TC7236 |
| |  |  |  |  |  |  |
| | TC3642 | TC4042 | TC4842 | TC5642 | TC6042†† | TC7242† |
| |  |  |  |  |  |  |
| | TC3648 | TC4048 | TC4848 | TC5648†† | TC6048†† | TC7248† |
| |  |  |  |  |  |  |
| | TC3654 | TC4054 | TC4854 | TC5654†† | TC6054†† | TC7254† |
| |  |  |  |  |  |  |
| | TC3660 | TC4060 | TC4860 | TC5660†† | TC6060†† | TC7260† |
| |  |  |  |  |  |  |
| | TC3666 | TC4066 | TC4866 | TC5666†† | TC6066†† | TC7266† |

Call out sizes are calculated in inches. †† Meets egress of: Clear openable area ≥ 5.7 sq. ft. Clear openable width ≥ 20". Clear openable height ≥ 24". † Requires egress hardware

CASEMENT WINDOWS (pg. 2/2)

| Rough Opening* | 18" | 20" | 24" | 28" | 30" | 36" |
|--------------------|---|---|---|---|--|---|
| Unit Size | 17 1/2" | 19 1/2" | 23 1/2" | 27 1/2" | 29 1/2" | 35 1/2" |
| Exposed Glass Sash | 12 1/2" | 14 1/2" | 18 1/2" | 22 1/2" | 24 1/2" | 30 1/2" |
| Clear Opening | 9 7/8" | 11 7/8" | 15 7/8" | 19 7/8" | 21 7/8" | 27 7/8" |
| |  |  | | | | |
| | C1824 | C2024 | | | | |
| |  |  |  |  |  | |
| | C1836 | C2036 | C2436 | C2836 | C3036 | |
| |  |  |  |  |  |  |
| | C1842 | C2042 | C2442 | C2842 | C3042†† | C3642† |
| |  |  |  |  |  |  |
| | C1848 | C2048 | C2448 | C2848†† | C3048†† | C3648† |
| |  |  |  |  |  |  |
| | C1854 | C2054 | C2454 | C2854†† | C3054†† | C3654† |
| |  |  |  |  |  |  |
| | C1860 | C2060 | C2460 | C2860†† | C3060†† | C3660† |
| |  |  |  |  |  |  |
| | C1866 | C2066 | C2466 | C2866†† | C3066†† | C3666† |
| |  |  |  |  |  |  |
| | C1872 | C2072 | C2472 | C2872†† | C3072†† | C3672† |

Call out sizes are calculated in inches. †† Meets egress of: Clear openable area ≥ 5.7 sq. ft. Clear openable width ≥ 20". Clear openable height ≥ 24". †† Requires egress hardware

quality • performance • security • selection

AWNING WINDOWS

| Rough Opening* | 24" | 36" | 42" | 48" | 54" | 60" |
|----------------|---------|---------|---------|---------|---------|---------|
| Unit Size | 23 1/2" | 35 1/2" | 41 1/2" | 47 1/2" | 53 1/2" | 59 1/2" |
| Exposed Glass | 18 1/2" | 30 1/2" | 36 1/2" | 42 1/2" | 48 1/2" | 54 1/2" |

| | | | | | | | |
|-----|---------|-------|-------|-------|-------|-------|-------|
| 18" | 12 1/2" | A2418 | A3618 | A4218 | A4818 | A5418 | A6018 |
| 20" | 14 1/2" | A2420 | A3620 | A4220 | A4820 | A5420 | A6020 |
| 24" | 18 1/2" | A2424 | A3624 | A4224 | A4824 | A5424 | A6024 |
| 28" | 22 1/2" | A2428 | A3628 | A4228 | A4828 | A5428 | A6028 |
| 36" | 30 1/2" | A2436 | A3636 | A4236 | A4836 | A5436 | A6036 |

Call out sizes are calculated in inches.

PATIO DOORS (New Construction and Remodel)

| Rough Opening | 60" | 72" | 96" |
|---------------|---------|---------|---------|
| Unit Size | 59 1/2" | 71 1/2" | 95 1/2" |
| Exposed Glass | 25 3/4" | 31 3/4" | 43 3/4" |
| Clear Opening | 24" | 30" | 42" |

| | | |
|---------|---------|-----|
| 75 1/2" | 79 1/2" | 80" |
|---------|---------|-----|

quality • performance • security • selection




































SLIDER WINDOWS (single and double available)

Call out sizes are calculated in inches.

†† Meets egress of: Clear openable area ≥ 5.7 sq. ft. Clear openable width ≥ 20". Clear openable height ≥ 24".

†† Requires egress hardware

| Rough Opening* | 24" | 36" | 48" | 60" | 72" | 84" | 96" |
|-------------------------|---------|---------|---------|---------|---------|---------|---------|
| Unit Size | 23 1/2" | 35 1/2" | 47 1/2" | 59 1/2" | 71 1/2" | 83 1/2" | 95 1/2" |
| *Exp. Glass Fixed Light | 8 3/4" | 14 3/4" | 20 3/4" | 26 3/4" | 32 3/4" | 38 3/4" | 44 3/4" |
| *Exposed Glass Sash | 8 1/8" | 14 1/8" | 20 1/8" | 26 1/8" | 32 1/8" | 38 1/8" | 44 1/8" |
| *Clear Opening | 8" | 14" | 20" | 26" | 32" | 38" | 44" |

| | | | | | | | |
|---|---|---|---|---|---|---|----------------|
|  |  |  |  |  |  |  | 24" 18 1/2" |
| G2424 | G3624 | G4824 | G6024 | G7224 | G8424 | G9624 | 23 1/2" |
|  |  |  |  |  |  |  | 36" 30 1/2" |
| G2436 | G3636 | G4836 | G6036 | G7236† | G8436† | G9636† | 35 1/2" |
|  |  |  |  |  |  |  | 42" 36 1/2" |
| G2442 | G3642 | G4842 | G6042† | G7242† | G8442† | G9642† | 41 1/2" |
|  |  |  |  |  |  |  | 48" 42 1/2" |
| G2448 | G3648 | G4848† | G6048† | G7248† | G8448† | G9648† | 47 1/2" |
|  |  |  |  |  |  |  | 60" 54 1/2" |
| G2460 | G3660 | G4860† | G6060† | G7260† | G8460† | G9660† | 59 1/2" |

TRIPLE SLIDER WINDOWS

Applicable only for single operating slider.
















Call out sizes are calculated in inches.

† Meets Single Slider egress of:

Clear openable area 5.7 sq. ft. Clear openable width 20" Clear openable height 24".

See Manufacturer for Double Slider Egress measurements.

| Rough Opening* | 72" | 84" | 96" | 108" | 120" |
|------------------------|---------|---------|---------|----------|----------|
| Unit Size | 71 1/2" | 83 1/2" | 95 1/2" | 107 1/2" | 119 1/2" |
| Exp. Glass Fixed Light | 33 3/8" | 39 3/8" | 45 3/8" | 51 3/8" | 57 3/8" |
| Exposed Glass Sash | 14 3/8" | 17 3/8" | 20 3/8" | 23 3/8" | 26 3/8" |
| Clear Opening | 15" | 18" | 21" | 24" | 27" |

| | | | | | |
|---|---|--|---|---|----------------|
|  |  |  |  |  | 36" 30 1/2" |
| TLG7236 | TLG8436 | TLG9636 | TLG10836 | TLG12036† | 35 1/2" |
|  |  |  |  |  | 48" 42 1/2" |
| TLG7248 | TLG8448 | TLG9648† | TLG10848† | TLG12048† | 47 1/2" |
|  |  |  |  |  | 60" 54 1/2" |
| TLG7260 | TLG8460 | TLG9660† | TLG10860† | TLG12060† | 59 1/2" |

PICTURE WINDOWS

Call out sizes are calculated in inches.

Grid Patterns for 60" and 66" Picture Windows and Transoms will vary.

Casement Picture Windows are 5 lites high.

Single Hung and Double Hung picture windows are 4 lites high.

| Rough Opening* | 12" | 18" | 20" | 24" | 28" | 30" | 32" | 36" | 40" | 42" | 44" | 48" | 60" |
|----------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| Unit Size | 11 1/2" | 17 1/2" | 19 1/2" | 23 1/2" | 27 1/2" | 29 1/2" | 31 1/2" | 35 1/2" | 39 1/2" | 41 1/2" | 43 1/2" | 47 1/2" | 59 1/2" |
| Exposed Glass | 6 1/2" | 12 1/2" | 14 1/2" | 18 1/2" | 22 1/2" | 24 1/2" | 26 1/2" | 30 1/2" | 34 1/2" | 36 1/2" | 38 1/2" | 42 1/2" | 54 1/2" |
| | | | | | | | | | | | | | |
| | PW1224 | PW1824 | PW2024 | PW2424 | PW2824 | PW3024 | PW3224 | PW3624 | PW4024 | PW4224 | PW4424 | PW4824 | PW6024 |
| | | | | | | | | | | | | | |
| | PW1236 | PW1836 | PW2036 | PW2436 | PW2836 | PW3036 | PW3236 | PW3636 | PW4036 | PW4236 | PW4436 | PW4836 | PW6036 |
| | | | | | | | | | | | | | |
| | PW1242 | PW1842 | PW2042 | PW2442 | PW2842 | PW3042 | PW3242 | PW3642 | PW4042 | PW4242 | PW4442 | PW4842 | PW6042 |
| | | | | | | | | | | | | | |
| | PW1248 | PW1848 | PW2048 | PW2448 | PW2848 | PW3048 | PW3248 | PW3648 | PW4048 | PW4248 | PW4448 | PW4848 | PW6048 |
| | | | | | | | | | | | | | |
| | PW1254 | PW1854 | PW2054 | PW2454 | PW2854 | PW3054 | PW3254 | PW3654 | PW4054 | PW4254 | PW4454 | PW4854 | PW6054 |
| | | | | | | | | | | | | | |
| | PW1260 | PW1860 | PW2060 | PW2460 | PW2860 | PW3060 | PW3260 | PW3660 | PW4060 | PW4260 | PW4460 | PW4860 | PW6060 |
| | | | | | | | | | | | | | |
| | PW1266 | PW1866 | PW2066 | PW2466 | PW2866 | PW3066 | PW3266 | PW3666 | PW4066 | PW4266 | PW4466 | PW4866 | PW6066 |
| | | | | | | | | | | | | | |
| | PW1272 | PW1872 | PW2072 | PW2472 | PW2872 | PW3072 | PW3272 | PW3672 | PW4072 | PW4272 | PW4472 | PW4872 | PW6072 |

TRANSOMS


Call out sizes are calculated in inches.

Check with your regional fabricator for rough opening when mulling.


| Rough Opening* | 28" | 32" | 36" | 40" | 44" | 48" | 56" | 64" | 72" |
|----------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| Unit Size | 27 1/2" | 31 1/2" | 35 1/2" | 39 1/2" | 43 1/2" | 47 1/2" | 55 1/2" | 63 1/2" | 71 1/2" |
| Exposed Glass | 22 1/2" | 26 1/2" | 30 1/2" | 34 1/2" | 38 1/2" | 42 1/2" | 50 1/2" | 58 1/2" | 66 1/2" |
| | | | | | | | | | |
| | TR2812 | TR3212 | TR3612 | TR4012 | TR4412 | TR4812 | TR5612 | TR6412 | TR7212 |
| | | | | | | | | | |
| | TR2818 | TR3218 | TR3618 | TR4018 | TR4418 | TR4818 | TR5618 | TR6418 | TR7218 |
| | | | | | | | | | |
| | TR2824 | TR3224 | TR3624 | TR4024 | TR4424 | TR4824 | TR5624 | TR6424 | TR7224 |

quality • performance • security • selection


Standard radius window shapes include full-circles, half-circles, quarter-circles, ellipticals and ovals. They may be installed as stand-alone units or are stacked over other windows or doors.



Starburst




Colonial Four Lite



Colonial Nine Lite

CIRCLE WINDOWS


| Size | Dimensions |
|--------|-------------------|
| CI3030 | 29 1/2" x 29 1/2" |
| CI3636 | 35 1/2" x 35 1/2" |



Colonial Nine Lite

OCTAGON WINDOWS


| Size | Dimensions |
|---------|-------------------|
| OTG2424 | 23 1/2" x 23 1/2" |
| OTG3232 | 31 1/2" x 31 1/2" |
| OTG3636 | 35 1/2" x 35 1/2" |



Colonial Four Lite

OVAL WINDOWS

| Size | Dimensions |
|--------|-------------------|
| OV3046 | 29 1/2" x 45 1/2" |
| OV3656 | 35 1/2" x 55 1/2" |




Sunburst



Starburst

HALF-OVAL WINDOWS

| Size | Dimensions |
|---------|-------------------|
| HOV2418 | 23 1/2" x 17 1/2" |
| HOV3628 | 35 1/2" x 27 1/2" |



Sunburst



Sunstar



Double Sunburst*




Starburst


HALF-ROUND WINDOWS

| Size | Dimensions |
|---------|-------------------|
| HRD2412 | 23 1/2" x 11 3/4" |
| HRD2814 | 27 1/2" x 13 3/4" |
| HRD3216 | 31 1/2" x 15 3/4" |
| HRD3618 | 35 1/2" x 17 3/4" |
| HRD4020 | 39 1/2" x 19 3/4" |
| HRD4422 | 43 1/2" x 21 3/4" |
| HRD4824 | 47 1/2" x 23 3/4" |
| HRD5628 | 55 1/2" x 27 3/4" |
| HRD6030 | 59 1/2" x 29 3/4" |
| HRD6432 | 63 1/2" x 31 3/4" |
| HRD7236 | 71 1/2" x 35 3/4" |


This pattern is available in widths larger than 56".



Sunburst



Sunstar




Starburst

QUARTER-ROUND WINDOWS


| Size | Dimensions |
|----------|-------------------|
| Left | |
| QRDL2424 | 23 1/2" x 23 1/2" |
| QRDL2828 | 27 1/2" x 27 1/2" |
| QRDL3030 | 29 1/2" x 29 1/2" |
| QRDL3232 | 31 1/2" x 31 1/2" |
| QRDL3636 | 35 1/2" x 35 1/2" |
| Right | |
| QRDR2424 | 23 1/2" x 23 1/2" |
| QRDR2828 | 27 1/2" x 27 1/2" |
| QRDR3030 | 29 1/2" x 29 1/2" |
| QRDR3232 | 31 1/2" x 31 1/2" |
| QRDR3636 | 35 1/2" x 35 1/2" |

Choose left-handed or right-handed size as viewed from the outside looking in.



GOTHIC WINDOWS

| Size | Dimensions |
|--------|-------------------|
| GC1836 | 17 1/2" x 35 1/2" |
| GC2040 | 19 1/2" x 39 1/2" |
| GC2244 | 21 1/2" x 43 1/2" |
| GC2448 | 23 1/2" x 47 1/2" |
| GC2856 | 27 1/2" x 55 1/2" |
| GC3060 | 29 1/2" x 59 1/2" |
| GC3672 | 35 1/2" x 71 1/2" |







































































































Starburst


Choose left-handed or right-handed size as viewed from the outside looking in.

HALF-GOTHIC WINDOWS

| Size | Dimensions |
|----------|-------------------|
| Left | |
| HGCL1854 | 17 1/2" x 53 1/2" |
| HGCL2260 | 21 1/2" x 59 1/2" |
| HGCL2666 | 25 1/2" x 65 1/2" |
| HGCL2872 | 27 1/2" x 71 1/2" |
| Right | |
| HGCR1854 | 17 1/2" x 53 1/2" |
| HGCR2260 | 21 1/2" x 59 1/2" |
| HGCR2666 | 25 1/2" x 65 1/2" |
| HGCR2872 | 27 1/2" x 71 1/2" |

| Chord Height (Approx.) | 4 3/8" | 5 1/8" | 5 7/8" | 6 3/8" | 7 1/16" | 8 1/8" | 9" | 11 1/4" | 13 1/2" | 17 13/16" |
|------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|-----------|
| Radius | 18" | 21" | 24" | 27" | 30" | 32" | 36" | 45" | 54" | 73" |
| Rough Opening | 24" | 28" | 32" | 36" | 40" | 44" | 48" | 60" | 72" | 96" |
| Unit Width | 23 1/2" | 27 1/2" | 31 1/2" | 35 1/2" | 39 1/2" | 43 1/2" | 47 1/2" | 59 1/2" | 71 1/2" | 95 1/2" |

| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|--|---|---|
| Series A Shoulder Height - 7 1/8" (Eyebrow) (Fixed Ext. Arch) |  |  |  |  |  |  |  |  |  |  |
| | EA24A | EA28A | EA32A | EA36A | EA40A | EA44A | EA48A | EA60A | EA72A | EA96A |
| Series B Shoulder Height - 19 1/8" (Fixed Ext. Arch) |  |  |  |  |  |  |  |  |  |  |
| | EA24B | EA28B | EA32B | EA36B | EA40B | EA44B | EA48B | EA60B | EA72B | EA96B |
| Series C Shoulder Height - 31 1/8" (Fixed Ext. Arch) |  |  |  |  |  |  |  |  |  |  |
| | EA24C | EA28C | EA32C | EA36C | EA40C | EA44C | EA48C | EA60C | EA72C | |
| Series D Shoulder Height - 39 1/8" (Fixed Ext. Arch) |  |  |  |  |  |  |  |  |  |  |
| | EA24D | EA28D | EA32D | EA36D | EA40D | EA44D | EA48D | EA60D | EA72D | |
| Series E Shoulder Height - 43 1/8" (Fixed Ext. Arch) |  |  |  |  |  |  |  |  |  |  |
| | EA24E | EA28E | EA32E | EA36E | EA40E | EA44E | EA48E | EA60E | EA72E | |
| Series F Shoulder Height - 47 1/8" (Fixed Ext. Arch) |  |  |  |  |  |  |  |  |  |  |
| | EA24F | EA28F | EA32F | EA36F | EA40F | EA44F | EA48F | EA60F | EA72F | |
| Series G Shoulder Height - 55 1/8" (Fixed Ext. Arch) |  |  |  |  |  |  |  |  |  |  |
| | EA24G | EA28G | EA32G | EA36G | EA40G | EA44G | EA48G | EA60G | | |
| Series H Shoulder Height - 61 1/8" (Fixed Ext. Arch) |  |  |  |  |  |  |  |  |  |  |
| | EA24H | EA28H | EA32H | EA36H | EA40H | EA44H | EA48H | EA60H | | |
| Series J Shoulder Height - 67 1/8" (Fixed Ext. Arch) |  |  |  |  |  |  |  |  |  |  |
| | EA24J | EA28J | EA32J | EA36J | EA40J | EA44J | EA48J | | | |
| Series K Shoulder Height - 79 1/8" (Fixed Ext. Arch) |  |  |  |  |  |  |  |  |  |  |
| | EA24K | EA28K | EA32K | EA36K | EA40K | EA44K | EA48K | | | |



Call out indicates width expressed in inches and shoulder height (series code). Custom sizes available.

* Prairie grids are not available in A series.